SAFETY DATA SHEET



1 Product and company identification

1. Product and company			
Product name	V-Twin Mineral Engine Oil 20W-50		
Product code	96905		
SDS number	7136		
	Bel-Ray Company, LLC		
	GPO Box 2650 Sydney, NSW 1171		
	PO Box 526 Farmingdale N.J. 07727		
	1 732-938-2421		
	CHEMTREC: 1800 069 100 (AUS)		
	Bel-Ray Company, LLC		
	P.O. Box 526		
	Farmingdale, NJ 07727		
	United States of America		
	+1 732 938 2421		
	CHEMTREC: 800-424-9300 (USA)		
	CHEMTREC: +1 703-527-3887 (outside USA - call collect)		
Recommended use and Limit	ations on use		
Recommended use	Engine oil		
2. Hazards identification	ı		
GHS classification			
Physical hazards	Not classified.		
Health hazards	Not classified.		
Environmental hazards	Hazardous to the aquatic environment, acute Category 2 hazard		
	Hazardous to the aquatic environment, Category 3 long-term hazard		
Label elements			
Symbols	None.		
Signal word	None.		
Hazard statement	Harmful to aquatic life.		
Precautionary statement			
Prevention	Keep out of reach of children. Read label before use. Avoid release to the environment.		
Response	If medical advice is needed, have product container or label at hand.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container to		
Supplemental information	None.		
3. Composition/informa	tion on ingredients		
•			

Substance or mixture Mixture

Chemical property	CAS Number	Concentration (%)
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	0 - < 50
Distillates (petroleum), Solvent-refined Heavy Paraffinic		
Other components below reportable levels		70 - < 80

4. First aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.

Ingestion	Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give liquid to an unconscious person.
Potential delayed effects	Irritation of eyes and mucous membranes. Skin irritation.
Personal protection for first-aid responders	Not available.
Notes to physician	Provide general supportive measures and treat symptomatically.

5. Fire-fighting measures

Extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Extinguishing media to avoid	Do not use water jet as an extinguisher, as this will spread the fire.
HAZCHEM Code Number	None.
Specific hazards during fire fighting	During fire, gases hazardous to health may be formed.
Special fire fighting procedures	Not available.
Protection of fire-fighters	Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Hazards from combustion products	May include oxides of Nitrogen. Carbon monoxide and carbon dioxide.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.
Spill cleanup methods	This product is miscible in water.
	Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapours or divert vapour cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Handling	
Precautions	Avoid release to the environment.
Safe handling advice	Observe good industrial hygiene practices. Use personal protection recommended in Section 8 of the SDS.
Prevention of fire and explosion	No specific recommendations.
Local and general ventilation	Provide adequate ventilation.
Storage	
Suitable storage conditions	Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).
Incompatible materials	For further information, please refer to section 10.
Safe packaging materials	Store in original tightly closed container.

8. Exposure controls/personal protection

Exposure limits

Components	Туре	Value	Form
Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Australia. National Workp Components	lace OELs (Workplace Exposure Sta Type	andards for Airborne Conta Value	iminants, Appendix A)
Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)	TWA	5 mg/m3	
Australia. OELs. (Adopted Environment)	National Exposure Standards for A	tmospheric Contaminants	in the Occupational
Components	Туре	Value	Form
Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)	TWA	5 mg/m3	Mist.
ological limit values	No biological exposure limits noted for	or the ingredient(s).	
gineering controls	Good general ventilation (typically 10 be matched to conditions. If applicab engineering controls to maintain airb limits have not been established, mai	le, use process enclosures, loo orne levels below recommend	cal exhaust ventilation, or other ed exposure limits. If exposure
ersonal protective equipment	nt		
Respiratory protection	In case of insufficient ventilation, we	ar suitable respiratory equipme	ent.
Hand protection	Wear appropriate chemical resistant gloves.		
Skin protection	Wear suitable protective clothing.		
Eye/face protection	Wear safety glasses with side shields	(or goggles).	
Radioactive or thermal hazards	Follow standard monitoring procedur	es.	
Hygiene measures	Always observe good personal hygier before eating, drinking, and/or smoki remove contaminants.		

9. Physical and chemical properties

Appearance	Oily. Liquid.
Physical state	Liquid.
Form	Liquid.
Colour	Amber.
Odour	Petroleum
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Boiling point, initial boiling point, and boiling range	> 296 °C (> 564.8 °F)
Flash point	215.0 °C (419.0 °F) Pensky-Martens Closed Cup
Auto-ignition temperature	260 °C (500 °F) estimated
Flammability (solid, gas)	Not available.
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	0.13 hPa estimated

Density	884.00 kg/m3		
Vapour density	Not available.		
Evaporation rate	Not available.		
Relative density	Not available.		
Solubility(ies)			
Solubility (water)	Negligible		
Solubility (other)	Oil		
Partition coefficient (n-octanol/water)	Not available.		
Decomposition temperature	Not available.		
Viscosity	172.5 cSt ASTM D445		
Viscosity temperature	40		
Percent volatile	0.03 % estimated		
Other data			
Specific gravity	0.88		
VOC	< 1 %		

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	Nitrogen oxides (NOx). At thermal decomposition temperatures, carbon monoxide and carbon dioxide.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

11. Toxicological information

Information on likely routes of exposure

Product		Species		Test results	
Eye contact		Direct contact with eyes may cause temporary irritation.			
Skin contact		No adverse effects due to skin contact are expected.			
Inhalation		No adverse effects due to inhalation are expected.			
Ingestion		Expected to be a low ingestion hazard.			
	5	•			

V-Twin Mineral Engine Oil 20W-50

<u>Acute</u> Dermal		
LD50	Rabbit	2706 mg/kg estimated
Oral		
LD50	Rat	2706 mg/kg estimated

* Estimates for product may be based on additional component data not shown.

Routes of exposure	Inhalation. Eye contact.
Symptoms	Irritation of eyes and mucous membranes. Skin irritation.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory sensitiser	Based on available data, the classification criteria are not met.
Skin sensitiser	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Toxic to reproduction	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Not available.
Relevant negative data	Not available.

12. Ecological information

Ecotoxicological data

cotoxicological data			
Product		Species	Test results
V-Twin Mineral Engine Oil 20W	/-50		
Aquatic			
Crustacea	EC50	Daphnia	29696.9688 mg/l, 48 hours estimated
Fish I	_C50	Fish	152.2184 mg/l, 96 hours estimated
* Estimates for product may b	e based on addi	tional component data not shown.	
cotoxicity	Harmful to aqu	uatic life.	
ersistence and degradability	No data is available on the degradability of this product.		
ioaccumulation	No data availal	ble.	
artition coefficient -octanol/water (log Kow)	Not available.		
ioconcentration factor (BCF)	Not available.		
lobility	This product is	miscible in water.	

13. Disposal considerations

Other hazardous effects

Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

14. Transport information

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

Distillates (petroleum), solvent-refined heavy paraffinic	May be used as a single component chemical under an appropriate
(CAS 64741-88-4)	group standard

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	nents of this product comply with the inventory requirements administered by the components of the product are not listed or exempt from listing on the inventor	
16. Other information		
References	Not available.	
Issued by		
Not available.		
Prepared by Not available.		
Disclaimer	Bel-Ray Company, LLC cannot anticipate all conditions under which the or the products of other manufacturers in combination with its products user's responsibility to ensure safe conditions for handling, storage at to assume liability for loss, injury, damage or expense due to improper provided in this Safety Data Sheet is correct to the best of our knowled the date of its publication. The information given is designed only as use, processing, storage, transportation, disposal and release and is a warranty or quality specification. The information relates only to the and may not be valid for such material used in combination with any process, unless specified in the text.	ct, may be used. It is the nd disposal of the product, and er use. The information edge, information and belief at a guidance for safe handling, not to be considered a specific material designated
Issue date	11_ January_2012	

Issue date	11-January-2012
Revision date	28-May-2016
Revision information	This document has undergone significant changes and should be reviewed in its entirety.