SAFETY DATA SHEET

1. Product and company identification

Product name Bel-Ray High Performance Fork Oil 20W

Product code 99340 SDS number 7102

Bel-Ray Company, LLC

GPO Box 2650 Sydney, NSW 1171 PO Box 526 Farmingdale N.J. 07727

1 732-938-2421

CHEMTREC: 1800 069 100 (AUS)

Bel-Ray Company, LLC

P.O. Box 526

Farmingdale, NJ 07727 **United States of America**

+1 732 938 2421

CHEMTREC: 800-424-9300 (USA)

CHEMTREC: +1 703-527-3887 (outside USA - call collect)

Recommended use and Limitations on use

Recommended use Suspension Oil

2. Hazards identification

GHS classification

Physical hazards Not classified. Health hazards Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 2

Hazardous to the aquatic environment,

long-term hazard

Label elements

Symbols None. Signal word None.

Hazard statement Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Keep out of reach of children. Read label before use. Avoid release to the environment.

If medical advice is needed, have product container or label at hand. Response

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information 72.5 % of the mixture consists of component(s) of unknown acute hazards to the aquatic

environment. 72.5 % of the mixture consists of component(s) of unknown long-term hazards to

Category 3

the aquatic environment.

3. Composition/information on ingredients

Substance or mixture Mixture

| Chemical property | CAS Number | Concentration (%) |
|---|------------|-------------------|
| Distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 | 0 - < 100 |
| Distillates (petroleum), Solvent-refined Heavy Paraffinic | | |
| Other components below reportable levels | | 70 - < 80 |

4. First aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Material name: Bel-Ray High Performance Fork Oil 20W

SDS NEW ZEALAND

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Potential delayed effectsIrritation of eyes and mucous membranes. Skin irritation.

Personal protection for first-aid responders

Not available.

Notes to physician Treat symptomatically.

5. Fire-fighting measures

Extinguishing media Water fog. Foam. Dry powder. Carbon dioxide (CO2).

Not available.

Extinguishing media to avoid Do not use water jet as an extinguisher, as this will spread the fire.

HAZCHEM Code Number None

Specific hazards during fire

. fighting During fire, gases hazardous to health may be formed.

Special fire fighting

procedures

Protection of fire-fighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear

suitable protective equipment.

Hazards from combustion

products

May include oxides of Nitrogen.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Spill cleanup methods

Use water spray to reduce vapours or divert vapour cloud drift. This product is miscible in water. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Handling

Precautions Avoid release to the environment.

Safe handling advice Avoid prolonged exposure. Observe good industrial hygiene practices. Use personal protection

recommended in Section 8 of the SDS.

Prevention of fire and

explosion

No specific recommendations.

Local and general

ventilation

Provide adequate ventilation.

Storage

Suitable storage conditions

Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the

SDS).

Incompatible materials For further information, please refer to section 10.

Safe packaging materials Store in original tightly closed container.

Material name: Bel-Ray High Performance Fork Oil 20W SDS NEW ZEALAND

8. Exposure controls/personal protection

Exposure limits

New Zealand. WES. (Workplace Exposure Standards)

| Components | Туре | Value | Form | |
|--|------|----------|-------|--|
| Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4) | STEL | 10 mg/m3 | Mist. | |
| | TWA | 5 mg/m3 | Mist. | |

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A) Components Value **Type**

Distillates (petroleum), solvent-refined heavy paraffinic (CAS 64741-88-4)

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational

Environment)

Components Value **Form Type** Distillates (petroleum), TWA 5 mg/m3 Mist. solvent-refined heavy

paraffinic (CAS 64741-88-4)

Biological limit values No biological exposure limits noted for the ingredient(s).

TWA

Engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other

engineering controls to maintain airborne levels below recommended exposure limits. If exposure

5 mg/m3

limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Skin protection Wear suitable protective clothing.

Eye/face protection Wear safety glasses with side shields (or goggles).

Radioactive or thermal

hazards

Follow standard monitoring procedures.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. Not available. Colour Odour Not available. **Odour threshold** Not available. Not available. Melting point/freezing point Not available.

Boiling point, initial boiling point, and boiling range

343 °C (649.4 °F) estimated

Flash point 112.0 °C (233.6 °F) estimated 260 °C (500 °F) estimated **Auto-ignition temperature**

Flammability (solid, gas) Not applicable. Flammability limit - lower Not available.

(%)

Not available.

Flammability limit - upper

Explosive limit - lower (%) Not available. Explosive limit - upper

(%)

Vapour pressure

Not available.

Material name: Bel-Ray High Performance Fork Oil 20W

Not available

99340 Version No.: 5.0 Revision date: 06-June-2016 Print date: 06-June-2016

Density900.00 kg/m3Vapour densityNot available.Evaporation rateNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Negligible
Solubility (other) Oil

Partition coefficient (n-octanol/water)

Not available.

(II-octation water)

Decomposition temperatureNot available.Viscosity73 cSt ASTM D445Viscosity temperature40 °C (104 °F)Percent volatile< 0.1 %</th>

Other data

Explosive properties Not explosive.

Flash point class Combustible IIIB

Oxidising properties Not oxidising.

Specific gravity 0.9 VOC < 0.1 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

StabilityMaterial is stable under normal conditions.Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

Nitrogen oxides (NOx). At thermal decomposition temperatures, carbon monoxide and carbon

dioxide.

Possibility of hazardous

reactions

products

No dangerous reaction known under conditions of normal use.

11. Toxicological information

Information on likely routes of exposure

IngestionExpected to be a low ingestion hazard.InhalationProlonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Product Species Test results

Bel-Ray High Performance Fork Oil 20W

Acute Dermal

LD50 Rabbit 2031 mg/kg estimated

Oral

LD50 Rat 2049 mg/kg estimated

Routes of exposure Inhalation.

Symptoms Irritation of eyes and mucous membranes. Skin irritation.

Skin corrosion/irritationDue to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory sensitiser Not a respiratory sensitizer.

Skin sensitiser This product is not expected to cause skin sensitisation.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Due to lack of data the classification is not possible.

Material name: Bel-Ray High Performance Fork Oil 20W SDS NEW ZEALAND

^{*} Estimates for product may be based on additional component data not shown.

This product is not expected to cause reproductive or developmental effects. Toxic to reproduction

Spaciac

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated

Due to lack of data the classification is not possible.

exposure

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

Relevant negative data Not available.

12. Ecological information

Ecotoxicological data

Droduct

| Troduct | | opecies - | restresures |
|-----------------------|------------------|-----------|------------------------------------|
| Bel-Ray High Performa | nce Fork Oil 20W | | |
| Aquatic | | | |
| Crustacea | EC50 | Daphnia | 9898.9902 mg/l, 48 hours estimated |
| Fish | LC50 | Fish | 149.708 mg/l, 96 hours estimated |

^{*} Estimates for product may be based on additional component data not shown.

Toxic to aquatic life. Harmful to aquatic life with long lasting effects. **Ecotoxicity**

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulation

Bioconcentration factor (BCF) Not available.

Mobility This product is miscible in water.

Other hazardous effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Toet reculte

13. Disposal considerations

Disposal

methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Special precautions Dispose in accordance with all applicable regulations.

14. Transport information

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

Distillates (petroleum), solvent-refined heavy paraffinic May be used as a single component chemical under an appropriate (CAS 64741-88-4) group standard

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | No |
| Canada | Non-Domestic Substances List (NDSL) | Yes |
| China | Inventory of Existing Chemical Substances in China (IECSC) | No |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | Yes |

Material name: Bel-Ray High Performance Fork Oil 20W

99340 Version No.: 5.0 Revision date: 06-June-2016 Print date: 06-June-2016

SDS NEW ZEALAND

Country(s) or regionInventory nameOn inventory (yes/no)*JapanInventory of Existing and New Chemical Substances (ENCS)NoKoreaExisting Chemicals List (ECL)NoNew ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesNo

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

References Not available.

Issued by

Not available.

Prepared by

Not available.

DisclaimerBel-Ray Company, LLC cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Issue date10-February-2011Revision date06-June-2016

Revision information This document has undergone significant changes and should be reviewed in its entirety

Material name: Bel-Ray High Performance Fork Oil 20W SDS NEW ZEALAND

Yes