



SAFETY DATA SHEET

1. Product and company identification

Product name Thumper Racing Synthetic Ester Blend 4T Engine Oil 10W-40
Product code 99520
SDS number 7133

Bel-Ray Company, LLC
GPO Box 2650 Sydney, NSW 1171
PO Box 526 Farmingdale N.J. 07727
1 732-938-2421
CHEMTREC: 1800 069 100 (AUS)

Bel-Ray Company, LLC
P.O. Box 526
Farmingdale, NJ 07727
United States of America
+1 732 938 2421
CHEMTREC: 800-424-9300 (USA)
CHEMTREC: +1 703-527-3887 (outside USA - call collect)

Recommended use and Limitations on use

Recommended use Engine oil

2. Hazards identification

GHS classification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Symbols None.
Signal word None.
Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Keep out of reach of children. Read label before use.
Response If medical advice is needed, have product container or label at hand.
Storage Store away from incompatible materials.
Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental information None.

3. Composition/information on ingredients

Substance or mixture Mixture

Chemical property	CAS Number	Concentration (%)
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	0 - < 100
Distillates (petroleum), Hydrotreated Heavy Naphthenic		
2,5-bis(octyldithio)-1,3,4-thiadiazole	13539-13-4	< 0.2
Other components below reportable levels		90 - 100

4. First aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact Rinse with water. Get medical attention if irritation develops and persists.
Ingestion Rinse mouth. Get medical attention if symptoms occur.

Potential delayed effects	Irritation of eyes and mucous membranes. Skin irritation.
Personal protection for first-aid responders	Not available.
Notes to physician	Treat symptomatically.

5. Fire-fighting measures

Extinguishing media	Water fog.
Extinguishing media to avoid	Do not use water jet as an extinguisher, as this will spread the fire.
HAZCHEM Code Number	None.
Specific hazards during fire fighting	During fire, gases hazardous to health may be formed.
Special fire fighting procedures	Not available.
Protection of fire-fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear suitable protective equipment.
Hazards from combustion products	May include oxides of Nitrogen.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8.
Environmental precautions	Prevent further leakage or spillage if safe to do so.
Spill cleanup methods	<p>This product is miscible in water.</p> <p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p>

7. Handling and storage

Handling	
Precautions	Use personal protection recommended in Section 8 of the SDS.
Safe handling advice	Avoid prolonged exposure. Observe good industrial hygiene practices.
Prevention of fire and explosion	No specific recommendations.
Local and general ventilation	Provide adequate ventilation.
Storage	
Suitable storage conditions	Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).
Incompatible materials	Strong oxidising agents. For further information, please refer to section 10.
Safe packaging materials	Store in original tightly closed container.

8. Exposure controls/personal protection

Exposure limits

New Zealand. WES. (Workplace Exposure Standards)

Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

ACGIH Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Type	Value
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

Skin protection

Wear suitable protective clothing.

Eye/face protection

Wear safety glasses with side shields (or goggles).

Radioactive or thermal hazards

Follow standard monitoring procedures.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Oily. Liquid.
Physical state	Liquid.
Form	Liquid.
Colour	Amber.
Odour	Petroleum
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Boiling point, initial boiling point, and boiling range	Not available.
Flash point	200.0 °C (392.0 °F) Pensky-Martens Closed Cup
Auto-ignition temperature	260 °C (500 °F) estimated
Flammability (solid, gas)	Not applicable.
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	0.13 hPa estimated
Density	884.00 kg/m3

Vapour density	Not available.
Evaporation rate	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Negligible
Solubility (other)	Oil Solvents
Partition coefficient (n-octanol/water)	Not available.
Decomposition temperature	Not available.
Viscosity	99.3 cSt ASTM D445
Viscosity temperature	40 °C (104 °F)
Percent volatile	0.08 % estimated
Other data	
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Specific gravity	0.88
VOC	< 1 %

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	Nitrogen oxides (NOx). At thermal decomposition temperatures, carbon monoxide and carbon dioxide.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.

Product	Species	Test results
Thumper Racing Synthetic Ester Blend 4T Engine Oil 10W-40		
Acute		
Dermal		
LD50	Rabbit	4299 mg/kg estimated
Inhalation		
LC50	Rat	1545 mg/l, 4 hours estimated
Oral		
LD50	Rat	4310 mg/kg estimated

* Estimates for product may be based on additional component data not shown.

Routes of exposure	Inhalation.
Symptoms	Irritation of eyes and mucous membranes. Skin irritation.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory sensitiser	Not a respiratory sensitizer.
Skin sensitiser	Not applicable.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Due to lack of data the classification is not possible.

Toxic to reproduction	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Due to lack of data the classification is not possible.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.
Relevant negative data	Not available.

12. Ecological information

Ecotoxicological data

Product	Species	Test results
Thumper Racing Synthetic Ester Blend 4T Engine Oil 10W-40		
Aquatic		
Crustacea	EC50	Daphnia
		29696.9688 mg/l, 48 hours estimated

* Estimates for product may be based on additional component data not shown.

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulation	No data available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
Mobility	This product is miscible in water.
Other hazardous effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Special precautions	Dispose in accordance with all applicable regulations.

14. Transport information

IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

2,5-bis(octyldithio)-1,3,4-thiadiazole (CAS 13539-13-4)	May be used as a component in a product covered by a group standard but it is not approved for use as a chemical in its own right.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	May be used as a single component chemical under an appropriate group standard

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no) *
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No

Country(s) or region	Inventory name	On inventory (yes/no) *
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

References Not available.

Issued by
Not available.

Prepared by
Not available.

Disclaimer Bel-Ray Company, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Issue date 31-July-2014

Revision date 10-May-2016

Revision information This document has undergone significant changes and should be reviewed in its entirety.