SAFETY DATA SHEET

1. Product and company identification

Product name Bel-Ray HVI Racing Suspension Fluid 10W

Product code 99380 SDS number 6413

Bel-Ray Company PTY Limited

4 Ginger Street

Paget, QLD 4740 Australia

749525778

CHEMTREC: 1800 069 100 (AUS)

Bel-Ray Company, Inc.

P.O. Box 526

Farmingdale, NJ 07727 United States of America

+1 732 938 2421 CHEMTREC: 800-424-9300 (USA)

CHEMTREC: +1 703-527-3887 (outside USA - call collect)

Recommended use and Limitations on use

Not available

2. Hazards identification

Environmental hazards

GHS classification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 3

> Serious eye damage/eye irritation Category 2B Category 2 (Lung)

Specific target organ toxicity following single

exposure

Specific target organ toxicity following

repeated exposure

Category 1 (Lung, skin)

Hazardous to the aquatic environment, acute

Hazardous to the aquatic environment, Category 4

long-term hazard

*Hazards not stated here are "Not classified", "Not applicable" or "Classification not possible".

Label elements

Symbols None. Signal word None. **Hazard statement** None.

Precautionary statement

Prevention Obtain special instructions before use. Read label before use. Do not handle until all safety

precautions have been read and understood. Wear eye/face protection. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Keep

Category 3

out of reach of children.

Response IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician. IF IN EYES: Rinse

cautiously with water for several minuts. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician. If medical advice is

needed, have product container or label at hand.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

3. Composition/information on ingredients

Substance or mixture Mixture

Material name: Bel-Ray HVI Racing Suspension Fluid 10W 1/6

99380 Version No.: 2.0 Revision date: 23-August-2013 Print date: 23-August-2013

Chemical property	CAS Number	Concentration (%)
Distillates (petroleum), Hydrotreated Middle	64742-46-7	70 - < 80
Interchangeable base oils, one or more: 64742-53-6, 64742-55-8, 72623-86-0	72623-86-0	5 - < 10
Phosphorodithioic Acid, O,o-di-c1-14-alkyl Esters, Zinc Salts	68649-42-3	< 1
Other components below reportable levels		10 - < 20

4. First aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention, if needed.

Skin contact Wash off with warm water and soap. If skin irritation occurs: Get medical advice/attention.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Call a physician or poison control centre immediately.

Ingestion Rinse mouth thoroughly. Do not induce vomiting. Call a POISON CENTRE or doctor/physician if

you feel unwell. Never give liquid to an unconscious person.

Potential delayed effects Not available.

Personal protection for first-aid responders

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data

sheet to the doctor in attendance.

Notes to physician In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation.

Symptoms may be delayed.

5. Fire-fighting measures

Extinguishing media Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Extinguishing media to avoid None **HAZCHEM Code Number** None. Specific hazards during fire None

fighting

Special fire fighting

procedures

Cool containers exposed to flames with water until well after the fire is out.

Protection of fire-fighters Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with

water spray. Use water spray to cool unopened containers. Water runoff can cause environmental

Hazards from combustion

products

May include oxides of Nitrogen. Carbon monoxide and carbon dioxide.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Environmental precautions

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. In case of

spills, beware of slippery floors and surfaces.

Spill cleanup methods

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

Dike far ahead of spill for later disposal. Collect spillage. Following product recovery, flush area with water. Prevent product from entering drains. Wipe up with absorbent material (e.g. cloth,

fleece).

Never return spills in original containers for re-use.

7. Handling and storage

Handling

Precautions Obtain special instructions before use. Use personal protective equipment as required. When using,

do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the

environment. Do not empty into drains.

Safe handling advice Do not handle until all safety precautions have been read and understood. Do not breathe

dust/fume/gas/mist/vapors/spray. Do not get this material in contact with eyes. Avoid prolonged

exposure.

Prevention of fire and

explosion

Not available.

Storage

Suitable storage

conditions

Store locked up. Room temperature - normal conditions. Store in a well-ventilated place. Keep

container tightly closed. Keep out of the reach of children.

Incompatible materials None known.

Material name: Bel-Ray HVI Racing Suspension Fluid 10W SDS NEW ZEALAND 99380 Version No.: 2.0 Revision date: 23-August-2013 Print date: 23-August-2013

8. Exposure controls/personal protection

Exposure limits

(64742-46-7)

New Zealand. WES. (Workplace Exposure Standards)

Components	Туре	Value	Form
Distillates (petroleum), Hydrotreated Middle (64742-46-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
US. ACGIH Threshold Limit Val	ues		
Components	Туре	Value	Form
Distillates (petroleum), Hydrotreated Middle	TWA	5 mg/m3	Inhalable fraction.

Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational **Environment)**

Components	Туре	Value	Form	
Distillates (petroleum), Hydrotreated Middle	TWA	5 mg/m3	Mist.	
(64742-46-7)				

Engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

> should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release,

exposure levels are not known, or any other circumstances where air-purifying respirators may not

provide adequate protection.

Skin protection Avoid contact with the skin. Use protective skin cream before handling the product.

Eye/face protection Avoid contact with eyes. Wear eye/face protection. Wear chemical protective equipment that is

specifically recommended by the manufacturer.

Radioactive or thermal

hazards

Not available.

Hygiene measures Do not get in eyes. When using, do not eat, drink or smoke. Wash hands before breaks and

immediately after handling the product. Handle in accordance with good industrial hygiene and

safety practices.

9. Physical and chemical properties

Appearance

Physical state Liquid. Liquid. Form Liquid. Colour Yellow. Yellow Mild Odour Mild. Not available. pН **Odour threshold** Not available.

Not available. 118.00 °C (244.40 °F) Pensky-Martens Closed Cup Flash point

Auto-ignition temperature 270 °C (518 °F) estimated

Flammability (solid, gas) Not available. Flammability limit - lower Not available.

(%)

Flammability limit - upper

Melting point/freezing point

(%)

Not available.

Explosive limit Not available. Vapour pressure 160 hPa estimated 886.00 kg/m3 Density

Material name: Bel-Ray HVI Racing Suspension Fluid 10W SDS NEW ZEALAND

3/6

99380 Version No.: 2.0 Revision date: 23-August-2013 Print date: 23-August-2013

Vapour density

Evaporation rate

Relative density

Solubility

Not available.

Not available.

Not available.

Not available.

Oil

Solubility (other) 0

Partition coefficient (n-octanol/water)

Not available.

Decomposition temperature Not available. **Viscosity** 32 - 35 cSt

Other data

Flammability class Combustible IIIB estimated

Specific gravity 0.886 Viscosity temperature 40

10. Stability and reactivity

Stability Material is stable under normal conditions.

Conditions to avoid Heat, flames and sparks.

Incompatible materials None.

Hazardous decomposition

products

Nitrogen oxides (NOx). At thermal decomposition temperatures, carbon monoxide and carbon

dioxide. Hydrogen sulfide. Mercaptans.

Possibility of hazardous

reactions

None.

11. Toxicological information

Product Species Test results

Bel-Ray HVI Racing Suspension Fluid 10W (Mixture)

Acute

Dermal

LD50 Rabbit 7766.9902 mg/kg, estimated

Oral

LD50 Rat 7766.9902 mg/kg, estimated

Routes of exposure Inhalation. Skin contact.

Symptoms Not available.

Skin corrosion/irritation Causes mild skin irritation.

Serious eye Causes serious eye damage. None known.

damage/irritation

Skin sensitiser Irritating to skin. None known.

Germ cell mutagenicity Suspected of causing genetic defects. No data available to indicate product or any components

present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity May cause cancer. This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or

OSHA. Not classifiable as to carcinogenicity to humans.

Toxic to reproductionContains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Lungs.

Specific target organ toxicity

- repeated exposure

Lungs. Skin.

Chronic effects Prolonged inhalation may be harmful. Not expected to be hazardous by WHMIS criteria.

Relevant negative data

Not available.

12. Ecological information

EcotoxicityThe product contains a substance which may cause long-term adverse effects in the environment.

Persistence and degradabilityNot available.BioaccumulationNot available.MobilityNot available.

Material name: Bel-Ray HVI Racing Suspension Fluid 10W SDS NEW ZEALAND

^{*} Estimates for product may be based on additional component data not shown.

13. Disposal considerations

methods/information

Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with manifests for industrial waste.

Special precautions Not available.

14. Transport information

International regulations

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

Applicable regulations

New Zealand Inventory of Chemicals (NZIoC): Registration status

Inventory name

Distillates (petroleum), Hydrotreated Middle (CAS

64742-46-7)

Country(s) or region

Phosphorodithioic Acid, O,o-di-c1-14-alkyl Esters, Zinc

Salts (CAS 68649-42-3)

May be used as a single component chemical under an appropriate

group standard

May be used as a component in a product covered by a group standard but it is not approved for use as a chemical in its own right.

On inventory (yes/no)*

Inventory status

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

References **ACGIH**

EPA: AOUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

JIS Z 7250: 2005 Safety data sheet for chemical products-Part 1:Content and order of sections

JCIA GHS Guideline, October 2008

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits

Issued by

Not available.

Prepared by

Not available.

5/6 99380 Version No.: 2.0 Revision date: 23-August-2013 Print date: 23-August-2013

Disclaimer Bel-Ray Company cannot anticipate all conditions under which this information and its product, or

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to

assume liability for loss, injury, damage or expense due to improper use.

Issue date20-August-2013Revision date23-August-2013

Material name: Bel-Ray HVI Racing Suspension Fluid 10W
99380 Version No.: 2.0 Revision date: 23-August-2013 Print date: 23-August-2013
6 / 6